| FILE NOTATIONS | | AND. |
|--|--|-------|
| Entered in N1D File Entered On S R Sheet Location Map Pinned Card Indexed | Checked by Chief Copy NID to Field Office Approval Letter Disapproval Letter | |
| OW WW TA | Location Inspected Bond released State of Fee Land | |
| LOGS Driller's Log 3 17 6 6 Electric Logs (No.) | . GR GR-N | Micro |

verbal approval approval grandel by Cleon & Fright 3-20-68 Conditional expon Thearing 102-6. Solen Helmke B Bor 1416 Shand Junetion Dyke Tandsdale Grand Junction, Calo. 6343 AT >> new Phone cel y the need (injthing) Well noticed to plug prior to receiveng notice to saill, no approval

ARLYNE LANSDALE
ATTORNEY AT LAW
P. ST. (FF) - 40.3X 6.8

GARDEN GROVE, CAL. FORNIA 82642
TELEPHONE (714: 538-352

March 19th, 1968

Division of Oil & Gas Conservation 1588 West North Temple Salt Lake City, Utah 84116

Attention: Mr. Paul W. Burchell Chief Petroleum Engineer

Dear Mr. Burchell:

Regarding the spacing of Lansdale No.1 (U-0146256) and Lansdale No.6 (U-0146819) which I propose to drill in Sec. 33, T. 18 S., R. 25 E.: and Lansdale No.4 (U-0146256) and Lansdale No.5 (U-0146822) No.4 being in Sec.3, T. 19 S., R. 25 E., and No.5 being in Sec.10, T.19 S., R. 25 E., Grand County, Utah, it is my understanding that we may proceed with the drilling and set a protective string of casing through the producing zone - the Entrada sand, if this sand is encountered, and it is productive.

However, before we produce these wells, we would have to have a hearing before your Commission.

We would appreciate this hearing as soon as convenient with your office, and if, April 10th, 1968, is satisfactory, kindly advise. Our Geologist, Mr. Galen Helmke is formally requesting this hearing, and thanking you for any assistance you may be able to render in this matter, I remain,

Yours very truly,

A. Lansdale

AL-b

PAD

2112-8433

1-2

ARLYNE LANSDALE

PUS OFFICE BOX 68

GARCEN GROVE, CALIFORNIA 92642

March 21st, 1968.

Division of Oil and Gas Jonservation 1585 West North Temple Salt Lake City, Utah 84116

Attention: Mr. Cleon B. Feight, Director

Dear Mr. Feight:

This letter will confirm conversation with my son and yourself as of this date regarding the spacing of Wells Nos.5 and 4, and Wells Nos 6 and 1.


I will plug either No.5 Well or the No.4 Well, and either the No.6 Well or the No.1 Well, unless, as a result of a hearing, the Board extends the Order in Cause No.2 to include the acreage upon which these Wells have been, or will be drilled.

For your information, and files, I am enclosing a copy of the acreage included in my Grand County Leases.

Yours yeary truly,

AL-b Enc.1 A. Lansdele

PMB



Merch 22, 1968

Mrs. A. Lansdale P. C. Box 68 Garden Grove, California 92462

Dear Mrs. Lanadale:

Attached is an approved copy of the permit to drill your well No. 5, NEANN sec. 10, T. 19 S., R. 25 E., on lease Utah 0146920, and well No. 6, SWANN sec. 33, T. 18 S., R. 25 E., on lease Utah 0146256. Please note that we have shown corrected lesse number on the attached copies in red pencil for each well.

Also, please note the conditions of approval attached to your permit as you or your representatives are expected to comply with these requirements. In particular, please note the items 5 and 7 of the conditions of approval concerning the filing of reports and keeping this office informed of the more important operations as they progress.

As discussed with Mr. Lansdale by telephone March 19 and Galen Helmke on March 18, it is recommended that Notices of Intention to Drill be subsitted to this office and the Division of Oil and Gas Conservation, State of Utah, sufficiently in advance of proposed drilling operations to allow a reasonable review of your proposed operations and to assure that your locations and plans conform to the applicable regulations.

It is my understanding that you will request a spacing hearing before the State Division of Oil and Gas Conservation or an extension of the State spacing order No. 1-2 and 2-2 to include the Harley Dome area in which you are conducting your operations. The present State-wide spacing does not allow the drilling of gas wells closer than 4960' from any known gas well. If Field Rule 1-1 and 1-2 are extended to include the Harley Dome area, it would reduce the minimum required distance for gas wells completed in the same pool from 4960' to 2640'. In view of the extremely low pressures in this area, I expect the closer spacing is in order, although we have received very little information as to the capability of any of your wells.

Please be advised that I am withdrawing approval of your well No. 2, SEXMER sec. 4, T. 19 S., R. 25 E., lease Utab 0146920, as I believe it is located too close to your well No. 4 which is reportedly being completed as an

Entrada gas well and too close to the section line (200') for a gas field development well. If you should decide that you still want to drill your No. 2 at this location, you will be requested to furnish your geologic and engineering data to show the basis for the proposed spacing for this well and for the development of the Entrada pool.

If you have any questions on any of the above, I would be happy to discuss them with you or your representatives at any time. I hope to visit your wells early next week and can possibly discuss these matters with Mr. Lausdale at that time.

I am sending copies of this letter to Mr. Lensdale c/o Bush Drilling Company and to Mr. Galen Halmke.

Sincerely yours,

ORIG. SGD.) R. A. SMITH

Rodney A. Smith. District Engineer

cc: Mr. Lansdale, c/o Bush Brilling Co. Galen Helmko

Utah Div. of O&G Conservation /

| Form 9-331 C (May 1963) MAR 1 9 19 APPLICATIO | UN DEPARTMEI | OGICAL SUF | INTERIO RVEY | | uctions on side) | Form approved. Budget Bureau No. 42-R142 10 14 6 9 30 5. LEASE DESIGNATION AND SERIAL NO. 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
|---|-------------------------|-------------------|------------------|------------------------|--|---|
| IS TYPE OF WORK | | | | OK PLUG | DACK | 100 |
| b. TYPE OF WELL | | DEEPEN | I 🗌 | PLUG BA | CK 🗆 | 7. UNIT AGREEMENT NAME |
| OIL OF WELL 2. NAME OF OPERATOR | VELL OTHER | | SINGLE Zone | MULTI Zone | PLE | 8. FARM OR LEASE NAME |
| | SNALE | | | | | 9. WELL NO. |
| 3. ADDRESS OF OPERATOR | | January V | | | <u>-</u> | Lowence 5 Fret |
| 4 LOCATION OF WELL (P | 5- | CARUE, | NEROL | 10 CALIFE | 2CNOR! | 10. FIELD AND POOL, OR WILDCAT |
| 4. LOCATION OF WELL (R At surface | | | | - | | 11. SEC., T., R., M., OR BLK. |
| At proposed prod. zon | From NOR | TH LINE X | 1650 1 | Com NEST | LINE. | AND SURVEY OR AREA |
| 14. DISTANCE IN MILES . | AND DIRECTION TO A | | WNE | N W | | 125E |
| | | | | il | | 12. COUNTY OR PARISH 13. STATE |
| | r | MIKEG | 16. No. OF | ACRES IN LEASE | 17. No. 01 | FACES ASSIGNED |
| PROPERTY OR LEASE I (Also to nearest drig | g. unit line, if any) | <i>330</i> | 800 | _ | | is well |
| 18. DISTANCE FROM PROP TO NEAREST WELL, D OR APPLIED FOR, ON TH | RILLING, COMPLETED. | 1/ | 19. PROPOSE | . 5 6 | 1 2 | Y OR CABLE TOOLS |
| 21. ELEVATIONS (Show who | | 12 MILE | 1000 | T B T | 1 KOT | PRY 22/APPROX. DATE WORK WILL START® |
| +840 23. | 2.6 GROUN | <u> </u> | | ₫· | | 3-19-1968 |
| 23. | | PROPOSED CAS | ING AND CEN | ENTING PROGR | AM . | |
| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER | | SETTING DEPTH | | QUANTITY OF CEMENT |
| Far 6/2" | 4 1/3" | 23 | | 100'V | | Za Spoks V |
| Delay | propos | and and | duce | an En | | tex war |
| eccin. | wiee o | cement | to | grown berson | | |
| IN ABOVE SPACE DESCRIBE zone. If proposal is to d | PROPOSED PROGRAM: If | proposal is to de | <i>l</i> | 13-01 ⁰ 1 - | esent produc | ctive sone and proposed new productive |
| preventer program, if any 24. | | / pertine | 011 8408 | arrace recations an | u measured i | thu true vertical depths. Give blowout |
| SIGNED | Harry | 1/2/ T | ITLE The | notor. | | DATE March 15 1760 |
| (This space for Feder | al or State office use) | | | | 100 pt 10 | MAR 1 8 1968 |
| PERMIT NO. | | 7 | APPRO | VAL DATE | <u> </u> | III → 0 1300 |
| APPROVED BY CONDITIONS OF APPROVA | L, IF ANY: | | tu <u>DIST</u> E | HCT ENGINEE | R S | MAR 2 2 1968 |

*See Instructions On Reverse Side

-- OFFICE

Maron



Trank us 65

| | and the second s |
|---|--|
| Name of Company N. Jansdale | Verbal Approval Given To: |
| Well Name Landale Cout #5 Sec. 10 | T. 195 R. 256 County: Sand |
| Verbal Approval Was given to plug the abo | • |
| T.D. 1170' | |
| 7" surface casing set | at 70 with 19 sacre |
| Sample tops: | |
| Marrison 132' | |
| Entrada 852' | t. I ma water |
| diel with air-ence | aintered suo |
| 50' slug across top of | Menison uplo surface |
| 80' plug across top of | Planison uple surface about 140-66 |
| 5 sack plug to Surfa | ce. |
| | OF CAND |
| | |

| SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. 1. | CALC #5 OL, OR WILDCAT Y DOME OL, OR BLK. AND ARBA T 195. R251 ARISH 18. STATE |
|--|--|
| OUL WELL OTHER DY 9 2. NAME OF OPERATOR A LANG OF OPERATOR A LANG OF OPERATOR A LANG OF OPERATOR A LANG OF OPERATOR A LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 6. LOCATION OF WELL (Report location clearly and i | E NAME a/e # 5 oL, OR WILDCAT y Dome "OR BLK. AND ARBA T 195., R251 ARISH 18. STATS |
| A LGINS da le A ADDRESS OF OPERATOR A ADDRESS OF OPERATOR P.O. BOX 68 Garden Grove Calf 92642 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) NW NE NW SCC 10 330 Southof North T195., R25F, 1650 East of West Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and we proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)* 18. PRAM OF OFFICE OF INTENTION TO: SUBSEQUENT REPORT OF: WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE ABANDON* CHANGE PLANS (Other) TO DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and measured and true vertical depths for all ment to this work.)* This Test was drilled with any State all pertinent details and measured and true vertical depths for all ment to this work.)* | ale #5 ol, or wildcat y Dome , or ble. and Arba T 195.; R251 ARISH 18. STATE |
| ## LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) ** **NW NE NW SEC 10** 330 Southof Notth T195.** 10. FIELD AND FO HAT!! 11. BEC. T., B., M. SURVEY OR SEC 10 14. PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data **NOTICE OF INTENTION TO:** **TEST WATER SHUT-OFF** PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON'S SHOOT ING OR ACIDIZING ABANDON'S SHOOT OR ACIDIZING CHANGE PLANS (Other) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)** **This Test was drilled with air Alter Associations and measured and true vertical depths for all ment to this work.)** **This Test was drilled with air Alter Associations and measured and true vertical depths for all ment to this work.)** | OL, OR WILDCAT Y DOME , OR BLK. AND ARBA T 195.; R251 ARISH 18. STATE UT9h |
| At surface 330 South of North 1195., R25t. 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.) This Test was drilled with air. No gas or in the Counterfeed To 1190' T.P. Hatle 11. BECNIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.) This Test was drilled with air. No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Was drilled with air No gas or in the Counterfeed To 1190' T.P. Hatle 350 face, T.R., Report results of Seculty Report | Y DOME OR BLE. AND ARBA T 195.; R252 ARISH 18. STATE UT9h |
| 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)* This Test was drilled with air, No gas or Notice and a superior of the countered of the coun | Utah |
| 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.) This Test was drilled with air No gas or Many Completion or Recompletion Report and Large proposed work. The state of the subsurface locations and measured and true vertical depths for all ment to this work.) This Test was drilled with air No gas or Many Completion Report and Large proposed work. The State of the State Proposed work of the State Proposed work of the State Proposed work. The State Proposed work of the State Proposed work of the State Proposed work of the State Proposed work. The State Proposed work of the State Proposed Wo | ING WELL |
| TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIR FRACTURE TREAT MULTIPLE COMPLETE SHOOTING OR ACIDIZING ABANDON* REPAIR WELL CHANGE PLANS (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly State all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)* This Test was drilled with air No 9as or No 1190' T.P. Had a surface, Jim 132' JE 852 | ING WELL |
| FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)* This Test was drilled with air No gas or the Counterface of the C | ING WELL |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimate proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all ment to this work.)* This Test was drilled with air. No 9as or 1 Ch Countered To 1190' T.P. He a Surface, Jm 132' JE 852 | ONMENT* |
| 00 2000 | |
| 50' Cement 825' - 875' 5 sax at surface | |
| Gel mud to be Used between plug OIL & GAS CONSERVA | . 0. |
| DATE 4-39-68 BY Jaul M. Burn | |
| 18. I hereby certify that the foregoing is true and correct SIGNED Lace Member TITLE Geologist DATE A | Le C |



June 15th, 1968.

Mr. Cleon B. Feight, Director Division of Oil & Gas Conservation 1588 West North Temple Salt Lake City, Utah 84116

Dear Mr. Feight:

I am enclosing the monthly reports, form 9-329, on wells No.1, 4 and 13.

Wells 5, 6, and 9, are being studied for possibly deepening and I will not have the results for thirty days.

No.3 has been abandoned, and I have ordered the site put in good condition.

I will keep you advised as to developments, and further exploratory work in this area.

Yours very truly,

AL-b Encls.

A. Lansdale

| Form 9-330 - (Kev. 5-65) | | | | | | | |
|--|--|--|-----------------------------------|-------------------------|---|--|---|
| NO. | 12/1/2010 1 | | STATES | | IN DUPLICA | | n approved. get Bureau No. 42-R36 |
| | 3.4 16 | | OF THE IN AL SURVEY | | structi | | ACTION AND SERIAL |
| Die acc | OMPLETION (| OR RECO | MPLLHON | REPORT A | ND LOG | # 6. IF INDIAN, AI | LOTTEE OR TRUSH NA |
| Ia Control of the | LL: OII. | GAS WELL | DRY 🗶 | Other | | 7. UNIT AGREEM | ENT NAME |
| NEW TON | MPLETION: WORK DEEP- | PLUG [| DIFF. | | | S. FARM OR LEA | OF NAME |
| WHEEL CALL | OVER L EN | Li BACK L | RESVR | Other | | = GOV | 7 |
| 44 | an5dal | <u> </u> | | * | | 9. WELL NO. | 5 |
| 10.13 | 30X 68 G | Orden | Grove (| Calif 9 | 12642 | 10. FIELD AND I | POOL, OR WILDCAT |
| At surface | ELL (Report location 30 South | clearly and in | occordance with an | ny State requirem | ental) wes | st Harle | ycome |
| | sterval reported below | | | | | OR AREA | NW Seci |
| a total depth | | | Marian Caranta | | | | |
| | | | 14. PERMIT NO | DA | TE ISSUED | 12. COUNTY OR | 125 L |
| S PUDDED | 16. DATE T.D. REA | guan l 1ª n.m | n court / Basta | | : | Grand | |
| March 16 | March 2 | ľ | s compl. (Ready 1 | 18. E | 000 | 2. CH | 0. blev. casinghead 4842 |
| TOTAL DEPTH, MD | | BACK T.D., ME & | TVD 22. IF MUI HOW M | LTIPLE COMPL., | 23. INTER | VALS ROTARY TOOLS | CABLE TOOLS |
| SOUCING INTE | RVAL(8), OF THIS CO | MPLETION—TOP | , BOTTOM, NAME (| MD AND TVD)* | | <u>> 1 성용성공기</u> | 25. WAS DIRECTION. |
| | | no. | ne | | | | SURVEY MADE |
| LECTRIC | AND OTHER LOGS RUI | | | | | | WAS WELL CORED |
| · · | | non | 16 | | | | |
| SING SIZE | WEIGHT, LB./FT. | | NG RECORD (Res | port all strings se | | NTING RECORD | AMOUNT PULLED |
| 7" | 234 | 90 | 21 | | / | 6 5ax | |
| | | | | | | | |
| San Assertion of State of Stat | | | | | | | <u> </u> |
|). | | NER RECORD | | L () | 30. | TUBING RECORD | |
| | | CTIOM (MD) | | | | | / |
| SIZE | TOP (MD) B | 100 | SACKS CEMENT* | SCREEN (MD) | SIZE | DEPTH SEX (MD) | PACKER SET (MD |
| | > | one | SACKS CEMENT* | | | none | |
| | CORD (Interval, size | one | SACKS CRMENT* | | ACID, SHOT, 1 | PRACTURE, CEMENT SO | QUEEZE, ETC. |
| | > | one | SACKS CRMENT* | 32. | ACID, SHOT, 1 | TONE FRACTURE, CEMENT SO | QUEEZE, ETC. |
| | > | one | SACKS CRMENT* | 32. | ACID, SHOT, 1 | TONE FRACTURE, CEMENT SO | QUEEZE, ETC. |
| PERFORATION RE | > | one | SACKS CRMENT* | 32. | ACID, SHOT, 1 | TONE FRACTURE, CEMENT SO | QUEEZE, ETC. |
| 1. PERFORATION REG | CORD (Interval, size | OHC and number) | PROI | 32. DEPTH INTER | ACID, SHOT, 1 | FRACTURE, CEMENT SO AMOUNT AND KIND OF | QUEEZE, ETC. |
| A. PERFORATION REG | CORD (Interval, size | OHC and number) | | 32. DEPTH INTER | ACID, SHOT, 1 | FRACTURE, CEMENT SO AMOUNT AND KIND OF | QUEEZE, ETC. F MATERIAL USED TUS. (Producing or |
| 1. PERFORATION REG | CORD (Interval, size | OHC and number) | PROI | 32. DEPTH INTER | ACID, SHOT, 1 | FRACTURE, CEMENT SO AMOUNT AND KIND OF | QUEEZE, ETC. F MATERIAL USED TUS. (Producing or |
| 1. PERFORATION REG | CORD (Interval, size | and number) ION METHOD (F | PROD'N. FOR TEST PERIOD OIL-BBL. | DUCTION umping—size and | ACID, SHOT, 1 FAL (MD) Lype of pump GAS—MCF. | TO DE FRACTURE, CEMENT SO AMOUNT AND KIND OF WELL STATEMENT Shuf-in WATER—BBL. | QUEEZE, ETC. F MATERIAL USED TUS. (Producing or |
| 1. PERFORATION REG | CORD (Interval, size CORD (Interval, size PRODUCT HOURS TESTED CASING PRESSURE | ION METHOD (F , CHOKE SIZE CALCULATED 24-HOUR BATE | PROD'N. FOR TEST PERIOD OIL—BBL. | DUCTION umping—size and | ACID, SHOT, 1 FAL (MD) Lype of pump GAS—MCF. | FRACTURE, CEMENT SO AMOUNT AND KIND OF WELL STA SAME-IN WATER—BBL. OIL | QUEEZE, ETC. F MATERIAL USED TUS. (Producing or GRAVITY-API (COP |
| 1. PERFORATION REG | CORD (Interval, size PRODUCT HOURS TESTED | ION METHOD (F , CHOKE SIZE CALCULATED 24-HOUR BATE | PROD'N. FOR TEST PERIOD OIL—BBL. | DUCTION umping—size and | ACID, SHOT, 1 FAL (MD) Lype of pump GAS—MCF. | TO DE FRACTURE, CEMENT SO AMOUNT AND KIND OF WELL STATEMENT Shuf-in WATER—BBL. | QUEEZE, ETC. F MATERIAL USED TUS. (Producing or GRAVITY-API (COP |
| 1. PERFORATION REG | CORD (Interval, size PRODUCT HOURS TESTED CASING PRESSURE DAS (Sold, used for fu | ION METHOD (F , CHOKE SIZE CALCULATED 24-HOUR BATE | PROD'N. FOR TEST PERIOD OIL—BBL. | DUCTION umping—size and | ACID, SHOT, 1 FAL (MD) Lype of pump GAS—MCF. | FRACTURE, CEMENT SO AMOUNT AND KIND OF WELL STA SAME-IN WATER—BBL. OIL | QUEEZE, ETC. F MATERIAL USED TUS. (Producing of GRAVITY-API (COEL., |

*(See Instructions and Spaces for Additional Data on Reverse Side)

A. LANSDALE #5

E1. 4842 Ground

```
1550 East of West, 330 South of North Sec 10 T. 19S: 🚋
       R25E Grand Co. Utah
       Test was spudded at top of Dakota formation
       80-100
                 Sandstone gray fine gr. with gray shale and coal
                 Sandstone light gray fine gr.
       100-120
       120-60
                 Shale light greenish gray
NUTION 160-80
                 Shale as above with white bentonite and loose sand grains
       180-200
                 Sandstone med.-coarse
       200–220
                 Shale gray green, slightly sandy
       220-40
                 Shale green
       240-300
                 Shale red-green varigated
       300-20
                 Shale pale green
       320-40
                 Shale green-red
       340-60
                 Shale red and white bentonite
       360–80
                 Sandstone lightgray very fine grained
       380-410
                 Shale red-green and white bentonite
       410-20
                 Shale maroon
       420-40
                 Shale as above and gray green
       440-80
                 Shale red and geay green bentonitic
       480-500
                 Shale as above
       500-30
                 Shale red sandy
       530-40
                 Shale varigated
       540-50
                 Sandstone tan very fine grained with red shale 30%
       550-70
                 Sandstone tan med-coarse-angular, subangular
       570-80
                 Sandstone gray, fine-very fine grained
       580-90
                 Shale red
       590-610
                 Sandstone buff fine grained some gray shale
       610-30
                 Sandstone tan fine-med grained gray shale
       630-60
                 Shale gray green
       660-80
                 Shale as above sloghtly sandy
       680-700
                 Sandstone buff fine grained silty
       700-750
                 Shale gray silty
       750-790
                 Shale as above
       790-800
                 Shale red-green
       800-830
                 Shale soft red
       830-40
                 Shale as above maroon
 840-875
5-71-6-875-1140
                 Poor samples red and maroon shales
                 Sandstone tan-salmon fine-med grain will rounded frosted.
       1140-1190 Sandstone as above with red hematic clay cement.
       TD 1190
         011170'
```

Talen Hombe Deologist 1588 West North Temple Salt Lake City, Utah 84116 328-5771

January 27, 1969

Mrs. A. Lansdale P. C. Bex 68 Carden Grove, California 92462

> Re: Well No. Lansdale Government \$5, Sec. 10, T. 19 S., R. 25 E., Grand County, Utah.

Gentlemen:

This letter is to advise you that the "Well Completion or Recompletion Report and Log" and electric and/or radioactivity logs for the above mentioned well are due and have not been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGC-3, "Well Completion or Recompletion Report and Log", in duplicate and forward them to this office as soon as possible. If electric and/or radioactivity logs were not run, please make a statement to this effect in order for us to keep our records accurate and complete.

Your cooperation in this matter will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON RECORDS CLERK

80

Enclosure: Forms OGC-3